


WHAT IS CLAIMED IS:

1. A compound of the Formula A:



5

wherein:

- a is 0 or 1;
- 10 b is 0 or 1;
- m is 0, 1 or 2;
- n is 0, 1, 2 or 3;
- p is 0, 1 or 2;
- q is 0, 1, 2, 3 or 4;
- 15 r is 0 or 1;
- s is 0 or 1;
- t is 2, 3, 4, 5 or 6;

u, v, w and x are independently selected from: CH and N;

- 20 y and z are independently selected from: CH and N, provided that at least one of y and z is N;

- Q is selected from: -NR5R6, aryl and heterocyclyl, said aryl and heterocycle which is
25 optionally substituted with one to three RZ;

R¹ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 5 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 10 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR^c(C=O)NR⁵R⁶,
- 15 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR^cS(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 20 19) NO₂,
- 20) NR^c(C=O)O_bR^a,
- 21) O(C=O)O_bC₁-C₁₀ alkyl,
- 22) O(C=O)O_bC₃-C₈ cycloalkyl,
- 23) O(C=O)O_baryl, and
- 25 24) O(C=O)O_b-heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z;

R² is independently selected from:

- 30 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,

- 6) $(C=O)_a O_b C_3\text{-}C_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 5 10) OH ,
- 11) $O_b C_1\text{-}C_6$ perfluoroalkyl,
- 12) $O_a (C=O)_b NR^5 R^6$,
- 13) $NR^c (C=O) NR^5 R^6$,
- 14) $S(O)_m R^a$,
- 10 15) $S(O)_2 NR^5 R^6$,
- 16) $NR^c S(O)_m R^a$,
- 17) CHO ,
- 18) NO_2 ,
- 19) $NR^c (C=O) O_b R^a$,
- 15 20) $O(C=O) O_b C_1\text{-}C_{10}$ alkyl,
- 21) $O(C=O) O_b C_3\text{-}C_8$ cycloalkyl,
- 22) $O(C=O) O_b$ aryl, and
- 23) $O(C=O) O_b$ heterocycle,

20 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z ;

R^3 and R^4 are independently selected from: H, $C_1\text{-}C_6$ -alkyl and $C_1\text{-}C_6$ -perfluoroalkyl, or

25 R^3 and R^4 are combined to form $-(CH_2)_t-$ wherein one of the carbon atoms is optionally replaced by a moiety selected from O, $S(O)_m$, $-N(R^b)C(O)-$, and $-N(COR^a)-$;

R^5 and R^6 are independently selected from:

30 1) H,
 2) $(C=O) O_b R^a$,
 3) $C_1\text{-}C_{10}$ alkyl,
 4) aryl,
 5) $C_2\text{-}C_{10}$ alkenyl,

- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 5 10) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

10 R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z;

15 R⁷ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 20 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 9) CN,
- 25 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR⁵(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 30 15) S(O)₂NR⁵R⁶,
- 16) NR⁵S(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 19) NO₂,

20) $O(C=O)O_bC_1-C_{10}$ alkyl, and
 21) $O(C=O)O_bC_3-C_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^Z ;

5

R^Z is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl,
- 3) (C_0-C_6) alkylene- $S(O)_mR^a$,
- 10 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 15 9) $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 13) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- 20 14) $C(O)R^a$,
- 15) (C_0-C_6) alkylene- CO_2R^a ,
- 16) $C(O)H$,
- 17) (C_0-C_6) alkylene- CO_2H ,
- 21) $C(O)N(R^b)_2$,
- 25 22) $S(O)_mR^a$,
- 23) $S(O)_2N(R^b)_2$
- 21) $NR^c(C=O)O_bR^a$,
- 22) $O(C=O)O_bC_1-C_{10}$ alkyl,
- 23) $O(C=O)O_bC_3-C_8$ cycloalkyl,
- 30 24) $O(C=O)O_b$ aryl, and
- 25) $O(C=O)O_b$ -heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R^a is substituted or unsubstituted (C₁-C₆)alkyl, substituted or unsubstituted (C₂-C₆)alkenyl, substituted or unsubstituted (C₂-C₆)alkynyl, substituted or unsubstituted (C₃-C₆)cycloalkyl, substituted or unsubstituted aryl, (C₁-C₆)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

5

R^b is H, (C₁-C₆)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

10 R^c is selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 15 5) C₂-C₁₀ alkynyl,
- 6) heterocyclyl,
- 7) C₃-C₈ cycloalkyl,
- 8) C₁-C₆ perfluoroalkyl,


15

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

20

or a pharmaceutically acceptable salt or a stereoisomer thereof.

2. The compound according to Claim 1 of the Formula A-1:



25

wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

5 n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

10 u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: -NR⁵R⁶ and heterocycle, said heterocycle which is optionally substituted with one to three R²;

15

R¹ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 20 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 8) halo,
- 25 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 13) NR^c(C=O)NR⁵R⁶,
- 30 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR^cS(O)_mR^a,
- 17) oxo,
- 18) CHO,
- 35 19) NO₂,

- 20) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

5 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^z ;

R^2 is independently selected from:

- 10 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
- 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
- 15 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 20 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
- 13) $\text{NR}^5(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
- 14) $\text{S}(\text{O})_m\text{R}^a$,
- 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
- 25 16) $\text{NR}^5\text{S}(\text{O})_m\text{R}^a$,
- 17) CHO ,
- 18) NO_2 ,
- 19) $\text{NR}^c(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 20) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 30 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^z ;

R5 and R6 are independently selected from:

- 1) H,
- 2) (C=O)ObR^a,
- 5 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 10 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 10) (C=O)NR^b2,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or

- 15 R5 and R6 can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^z;
- 20

R^z is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 25 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 30 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 35 13) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,

- 14) $C(O)R^a$,
- 15) $(C_0\text{-}C_6)\text{alkylene-CO}_2R^a$,
- 16) $C(O)H$,
- 17) $(C_0\text{-}C_6)\text{alkylene-CO}_2H$,
- 5 18) $C(O)N(R^b)_2$,
- 19) $S(O)_mR^a$,
- 20) $S(O)_2NR^9R^{10}$
- 21) $NRC(C=O)O_bR^a$,
- 22) $O(C=O)O_bC_1\text{-}C_{10}$ alkyl,
- 10 23) $O(C=O)O_bC_3\text{-}C_8$ cycloalkyl,
- 24) $O(C=O)O_b\text{aryl}$, and
- 25) $O(C=O)O_b\text{-heterocycle}$,

15 said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(C_1\text{-}C_6)\text{alkoxy}$, halogen, CO_2H , CN , $O(C=O)C_1\text{-}C_6$ alkyl, oxo, and $N(R^b)_2$;

20 R^a is substituted or unsubstituted $(C_1\text{-}C_6)\text{alkyl}$, substituted or unsubstituted $(C_2\text{-}C_6)\text{alkenyl}$, substituted or unsubstituted $(C_2\text{-}C_6)\text{alkynyl}$, substituted or unsubstituted $(C_3\text{-}C_6)\text{cycloalkyl}$, substituted or unsubstituted aryl, $(C_1\text{-}C_6)\text{perfluoroalkyl}$, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

25 R^b is H, $(C_1\text{-}C_6)\text{alkyl}$, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, $(C_3\text{-}C_6)\text{cycloalkyl}$, $(C=O)OC_1\text{-}C_6$ alkyl, $(C=O)C_1\text{-}C_6$ alkyl or $S(O)_2R^a$;

25

R^c is selected from:


- 1) H,
- 2) $C_1\text{-}C_{10}$ alkyl,
- 3) aryl,
- 30 4) $C_2\text{-}C_{10}$ alkenyl,
- 5) $C_2\text{-}C_{10}$ alkynyl,
- 6) heterocyclyl,
- 7) $C_3\text{-}C_8$ cycloalkyl,
- 8) $C_1\text{-}C_6$ perfluoroalkyl,

said alkyl, cycloalkyl, aryl, heterocyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z , or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

5

3. The compound according to Claim 1 of the Formula B:



10 wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1 or 2;

15 n is 0, 1, 2 or 3;

p is 0, 1 or 2;

r is 0 or 1;

s is 0 or 1;

20 u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: $-NR^5R^6$ and heterocycle, said heterocycle which is optionally substituted with one to three R^Z ;

25

R^1 is independently selected from:

1) $(C=O)_aObC_1-C_{10}$ alkyl,

- 2) $(C=O)_a O_b$ aryl,
- 3) C_2 - C_{10} alkenyl,
- 4) C_2 - C_{10} alkynyl,
- 5) $(C=O)_a O_b$ heterocyclyl,
- 5) $(C=O)_a O_b$ C_3 - C_8 cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 10) OH ,
- 10) O_b C_1 - C_6 perfluoroalkyl,
- 12) $O_a (C=O)_b NR^5 R^6$,
- 13) $NR^c (C=O) NR^5 R^6$,
- 14) $S(O)_m R^a$,
- 15) $S(O)_2 NR^5 R^6$,
- 15) $NR^c S(O)_m R^a$,
- 17) oxo,
- 18) CHO ,
- 19) NO_2 ,
- 20) $NR^c (C=O) O_b R^a$,
- 20) $O(C=O) O_b$ C_1 - C_{10} alkyl,
- 22) $O(C=O) O_b$ C_3 - C_8 cycloalkyl,
- 23) $O(C=O) O_b$ aryl, and
- 24) $O(C=O) O_b$ -heterocycle,

25 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^2 ;

R^2 is independently selected from:

- 1) $(C=O)_a O_b$ C_1 - C_{10} alkyl,
- 2) $(C=O)_a O_b$ aryl,
- 30 3) C_2 - C_{10} alkenyl,
- 4) C_2 - C_{10} alkynyl,
- 5) $(C=O)_a O_b$ heterocyclyl,
- 6) $(C=O)_a O_b$ C_3 - C_8 cycloalkyl,
- 7) CO_2H ,

- 8) halo,
- 9) CN,
- 10) OH,
- 11) $O_bC_1\text{-}C_6$ perfluoroalkyl,
- 5 12) $O_a(C=O)bNR^5R^6$,
- 13) $NR^5(C=O)NR^5R^6$,
- 14) $S(O)_mR^a$,
- 15) $S(O)_2NR^5R^6$,
- 16) $NR^5S(O)_mR^a$,
- 10 17) CHO,
- 18) NO₂,
- 19) $NR^c(C=O)O_bR^a$,
- 20) $O(C=O)O_bC_1\text{-}C_{10}$ alkyl,
- 21) $O(C=O)O_bC_3\text{-}C_8$ cycloalkyl,
- 15 22) $O(C=O)O_b$ aryl, and
- 23) $O(C=O)O_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^Z;

20 R⁵ and R⁶ are independently selected from:

- 1) H,
- 2) $(C=O)O_bR^a$,
- 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 25 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 30 10) $(C=O)NR^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or

35 R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally

containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^Z;

5 R^Z is selected from:

- 1) (C=O)_rOs(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 10 5) OH,
- 6) halo,
- 7) CN,
- 8) (C=O)_rOs(C₂-C₁₀)alkenyl,
- 9) (C=O)_rOs(C₂-C₁₀)alkynyl,
- 15 10) (C=O)_rOs(C₃-C₆)cycloalkyl,
- 11) (C=O)_rOs(C₀-C₆)alkylene-aryl,
- 12) (C=O)_rOs(C₀-C₆)alkylene-heterocyclyl,
- 13) (C=O)_rOs(C₀-C₆)alkylene-N(R^b)₂,
- 14) C(O)R^a,
- 20 15) (C₀-C₆)alkylene-CO₂R^a,
- 16) C(O)H,
- 17) (C₀-C₆)alkylene-CO₂H,
- 18) C(O)N(R^b)₂,
- 19) S(O)_mR^a,
- 25 20) S(O)₂NR⁹R¹⁰
- 21) NR^c(C=O)ObR^a,
- 22) O(C=O)ObC₁-C₁₀ alkyl,
- 23) O(C=O)ObC₃-C₈ cycloalkyl,
- 24) O(C=O)Obaryl, and
- 30 25) O(C=O)Ob-heterocycle,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R^a is substituted or unsubstituted (C_1 - C_6)alkyl, substituted or unsubstituted (C_2 - C_6)alkenyl, substituted or unsubstituted (C_2 - C_6)alkynyl, substituted or unsubstituted (C_3 - C_6)cycloalkyl, substituted or unsubstituted aryl, (C_1 - C_6)perfluoroalkyl, 2,2,2-trifluoroethyl, or substituted or unsubstituted heterocyclyl; and

5


R^b is H, (C_1 - C_6)alkyl, substituted or unsubstituted aryl, substituted or unsubstituted benzyl, substituted or unsubstituted heterocyclyl, (C_3 - C_6)cycloalkyl, ($C=O$) OC_1 - C_6 alkyl, ($C=O$) C_1 - C_6 alkyl or $S(O)_2R^a$;

10 R^c is selected from:

- 1) H,
- 2) C_1 - C_{10} alkyl,
- 3) aryl,
- 4) C_2 - C_{10} alkenyl,
- 15 5) C_2 - C_{10} alkynyl,
- 6) heterocyclyl,
- 7) C_3 - C_8 cycloalkyl,
- 8) C_1 - C_6 perfluoroalkyl,

16 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z , or
20 or a pharmaceutically acceptable salt or a stereoisomer thereof.

4. The compound according to Claim 3 of the Formula B:



B

25

wherein:

a is 0 or 1;
 b is 0 or 1;
 m is 0, 1 or 2;
 5 n is 0, 1, 2 or 3;
 p is 0, 1 or 2;
 r is 0 or 1;
 s is 0 or 1;

10 u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

Q is selected from: -NR⁵R⁶, phenyl, benzimidazolyl, benzimidazolonyl, quinolinyl and isoquinolinyl, said benzimidazolyl, benzimidazolonyl, quinolinyl and
 15 isoquinolinyl which are optionally substituted with one or two R²;

R¹ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 20 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) (C=O)_aO_bC₃-C₈ cycloalkyl,
- 7) CO₂H,
- 25 8) halo,
- 9) CN,
- 10) OH,
- 11) O_bC₁-C₆ perfluoroalkyl,
- 12) O_a(C=O)_bNR⁵R⁶,
- 30 13) NR^c(C=O)NR⁵R⁶,
- 14) S(O)_mR^a,
- 15) S(O)₂NR⁵R⁶,
- 16) NR^cS(O)_mR^a,
- 17) oxo,
- 35 18) CHO,

- 19) NO_2 ,
- 20) $\text{NRC}(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 5 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 24) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^z ;

10 R^2 is independently selected from:

- 1) $(\text{C}=\text{O})_a\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 2) $(\text{C}=\text{O})_a\text{O}_b$ aryl,
- 3) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 4) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 15 5) $(\text{C}=\text{O})_a\text{O}_b$ heterocyclyl,
- 6) $(\text{C}=\text{O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN ,
- 20 10) OH ,
- 11) $\text{O}_b\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 12) $\text{O}_a(\text{C}=\text{O})_b\text{NR}^5\text{R}^6$,
- 13) $\text{NRC}(\text{C}=\text{O})\text{NR}^5\text{R}^6$,
- 14) $\text{S}(\text{O})_m\text{R}^a$,
- 25 15) $\text{S}(\text{O})_2\text{NR}^5\text{R}^6$,
- 16) $\text{NRC}\text{S}(\text{O})_m\text{R}^a$,
- 17) CHO ,
- 18) NO_2 ,
- 19) $\text{NRC}(\text{C}=\text{O})\text{O}_b\text{R}^a$,
- 30 20) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 21) $\text{O}(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 22) $\text{O}(\text{C}=\text{O})\text{O}_b$ aryl, and
- 23) $\text{O}(\text{C}=\text{O})\text{O}_b$ -heterocycle,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^z;

R⁵ and R⁶ are independently selected from:

- 5 1) H,
- 2) (C=O)O_bR^a,
- 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 5) C₂-C₁₀ alkenyl,
- 10 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 10) (C=O)NR^b₂,

15 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or

20 R⁵ and R⁶ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R^z;

R^z is selected from:

- 25 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 30 6) halo,
- 7) CN,
- 8) (C=O)_rO_s(C₂-C₁₀)alkenyl,
- 9) (C=O)_rO_s(C₂-C₁₀)alkynyl,
- 10) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 35 11) (C=O)_rO_s(C₀-C₆)alkylene-aryl,

- 12) $(C=O)_r Os(C_0-C_6) alkylene-heterocyclyl,$
- 13) $(C=O)_r Os(C_0-C_6) alkylene-N(R^b)_2,$
- 14) $C(O)R^a,$
- 15) $(C_0-C_6) alkylene-CO_2R^a,$
- 5 16) $C(O)H,$
- 17) $(C_0-C_6) alkylene-CO_2H,$
- 18) $C(O)N(R^b)_2,$
- 19) $S(O)_m R^a,$ and
- 20) $S(O)_2 NR^9 R^{10}$
- 10 21) $NRC(C=O)O_b R^a,$
- 22) $O(C=O)O_b C_1-C_{10} alkyl,$
- 23) $O(C=O)O_b C_3-C_8 cycloalkyl,$
- 24) $O(C=O)O_b aryl,$ and
- 25) $O(C=O)O_b heterocycle,$

15 said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH , $(C_1-C_6) alkoxy$, $halogen$, CO_2H , CN , $O(C=O)C_1-C_6 alkyl$, oxo , and $N(R^b)_2$;

R^a is $(C_1-C_6) alkyl$, $(C_3-C_6) cycloalkyl$, $aryl$, or $heterocyclyl$; and

20 R^b is H , $(C_1-C_6) alkyl$, $aryl$, $heterocyclyl$, $(C_3-C_6) cycloalkyl$, $(C=O)OC_1-C_6 alkyl$,
 $(C=O)C_1-C_6 alkyl$ or $S(O)_2 R^a$;

R^c is selected from:


- 25 1) $H,$
- 2) $C_1-C_{10} alkyl,$
- 3) $aryl,$
- 4) $C_2-C_{10} alkenyl,$
- 5) $C_2-C_{10} alkynyl,$
- 30 6) $heterocyclyl,$
- 7) $C_3-C_8 cycloalkyl,$
- 8) $C_1-C_6 perfluoroalkyl,$

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z , or

or a pharmaceutically acceptable salt or a stereoisomer thereof.

5. The compound according to Claim 4 of the Formula C:

5




wherein

10 a is 0 or 1;
 b is 0 or 1;
 m is 0, 1 or 2;
 n is 0, 1, 2 or 3;
 p is 0, 1 or 2;
 15 r is 0 or 1;
 s is 0 or 1;

u, v, w and x are independently selected from: CH and N, provided that only one of u, v, w and x may be N;

20



R¹ is independently selected from:

1) (C=O)_aO_bC₁-C₁₀ alkyl,

- 2) $(C=O)_aOb$ aryl,
- 3) C_2-C_{10} alkenyl,
- 4) C_2-C_{10} alkynyl,
- 5) $(C=O)_aOb$ heterocyclyl,
- 5) $(C=O)_aObC_3-C_8$ cycloalkyl,
- 7) CO_2H ,
- 8) halo,
- 9) CN,
- 10) OH,
- 10) ObC_1-C_6 perfluoroalkyl,
- 10) $O_a(C=O)_bNR^5R^6$,
- 10) $NR^c(C=O)NR^5R^6$,
- 14) $S(O)_mR^a$,
- 15) $S(O)_2NR^5R^6$,
- 15) $NR^cS(O)_mR^a$,
- 17) oxo,
- 18) CHO,
- 19) NO_2 ,
- 20) $NR^c(C=O)ObR^a$,
- 20) $O(C=O)ObC_1-C_{10}$ alkyl,
- 20) $O(C=O)ObC_3-C_8$ cycloalkyl,
- 23) $O(C=O)Ob$ aryl, and
- 24) $O(C=O)Ob$ -heterocycle,

25 said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R^2 ;

R^2 is independently selected from:

- 1) C_1-C_6 alkyl,
- 2) aryl,
- 30 3) heterocyclyl,
- 4) CO_2H ,
- 5) halo,
- 6) CN,
- 7) OH,

8) $S(O)_2NR^5R^6$,

said alkyl, aryl and heterocyclyl optionally substituted with one, two or three substituents selected from R^z;

5 R⁵ and R⁶ are independently selected from:

- 1) H,
- 2) $(C=O)O_bR^a$,
- 3) C₁-C₁₀ alkyl,
- 4) aryl,
- 10 5) C₂-C₁₀ alkenyl,
- 6) C₂-C₁₀ alkynyl,
- 7) heterocyclyl,
- 8) C₃-C₈ cycloalkyl,
- 9) SO₂R^a, and
- 15 10) $(C=O)NR^{b_2}$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^z, or

R^z is selected from:

- 20 1) $(C=O)_rO_s(C_1-C_{10})alkyl$,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 25 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})alkenyl$,
- 9) $(C=O)_rO_s(C_2-C_{10})alkynyl$,
- 10) $(C=O)_rO_s(C_3-C_6)cycloalkyl$,
- 30 11) $(C=O)_rO_s(C_0-C_6)alkylene-aryl$,
- 12) $(C=O)_rO_s(C_0-C_6)alkylene-heterocyclyl$,
- 13) $(C=O)_rO_s(C_0-C_6)alkylene-N(R^{b_2})_2$,
- 14) C(O)R^a,
- 15) (C₀-C₆)alkylene-CO₂R^a,

16) C(O)H,
 17) (C₀-C₆)alkylene-CO₂H,
 18) C(O)N(R^b)₂,
 19) S(O)_mR^a, and
 5 20) S(O)₂N(R^b)₂
 21) NR^c(C=O)O_bR^a,
 22) O(C=O)O_bC₁-C₁₀ alkyl,
 23) O(C=O)O_bC₃-C₈ cycloalkyl,
 24) O(C=O)O_baryl, and
 10 25) O(C=O)O_b-heterocycle,
 said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

15 R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl; and
 R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

20 R^c is selected from:
 1) H,
 2) C₁-C₁₀ alkyl,
 3) aryl,
 4) C₂-C₁₀ alkenyl,
 25 5) C₂-C₁₀ alkynyl,
 6) heterocyclyl,
 7) C₃-C₈ cycloalkyl,
 8) C₁-C₆ perfluoroalkyl,
 said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R^Z, or
 30 or a pharmaceutically acceptable salt or a stereoisomer thereof.

6. A compound which is selected from:

1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-
benzimidazol-2-one;

5 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-
phenylquinaxoline-6-carboxylic acid;

10 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-
phenylquinaxoline-6-carboxylic acid;

15 N-[3-(1H-imadazol-1-yl)propyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-
yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

20 1-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-
benzimidazol-2-one;

25 1-{1-[4-(2-phenylpyrido[3,4-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-
benzimidazol-2-one;

30 1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-
2-one;

35 1-{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-
2H-benzimidazol-2-one;

2-(4-{{3-(1H-indol-3-yl)pyrrolidin-1-yl}methyl}phenyl)-3-phenylquinoxaline;

1-(1-{{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl}piperidin-4-yl}-1,3-dihydro-2H-
benzimidazol-2-one;

3,4-dichloro-N-{{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-
yl}benzamide;

4-cyano-N-{{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

2,6-difluoro-N-{{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-
yl}benzamide;

N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-3-(trifluoromethyl)benzamide;

5 2,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

10 3,5-difluoro-N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}benzamide;

15 N-{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;

20 4-[({(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}amino)carbonyl]-1,3-thiazolidin-3-ium;

N-{(3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

25 3-phenyl-2-[4-((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;

2-phenyl-3-[4-((3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl)methyl]phenyl]quinoxaline-6-carboxylic acid;

30 N-{(3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

35 N-{(3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

40 N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

45

5 methyl 3-{{{{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}amino}carbonyl}amino}benzoate;

5 N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

10 2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-5-ol;

10 N^2,N^2 -dimethyl- N^1 -[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

15 9-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

15 3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-amine;

20 9-{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

20 9-{1-[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

25 9-{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

25 9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

30 9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

30 9-{1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

35 2-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-carboxylic acid;

35 3-(4-{[4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-carboxylic acid;

40 2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline;

40 2-(4-{[4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-amine;

3-(4-{{4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxalin-6-amine;

5 2-(4-{{4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl}methyl}phenyl)-3-phenylpyrido[2,3-b]pyrazine;

10 1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

15 1-(1-{{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

20 1-(1-{{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one);

25 N^2,N^2 -dimethyl- N^1 -[2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

30 N^2,N^2 -dimethyl- N^1 -[3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

35 1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

40 N-[2-(diethylamino)ethyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

45 N-[2-(diethylamino)ethyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

50 2-deoxy-2-({{2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl}carbonyl}amino)-D-arabino-hexopyranose;

55 2-deoxy-2-({{3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxalin-6-yl}carbonyl}amino)-D-arabino-hexopyranose;

2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

5 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

10 3-(4-{{4-hydroxy-4-phenylpiperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline;

15 3-(4-{{4-(quinazolin-2-on-3-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline;

20 3-(4-{{4-(pyrid-2-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline;

25 3-(4-{{3-(benzimidazol-2-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline;

30 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenyl-6-methylquinaxoline;

35 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenyl-6-chloroquinaxoline;

40 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenyl-6-(1-acetylaminoprop-2-yl)quinaxoline;

45 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;

50 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-N,N-dimethyl-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

55 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

60 N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

65 Ethyl 2-(4-{{4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;

70 N-[3-(2-hydroxyethyl)-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

75 N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

80 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

5 N-[2-(diethylamino)ethyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

10 N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

15 N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

20 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;

25 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-nitroquinaxoline;

30 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;

35 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-3-(4-{{4-(2-Oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

40 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-chloroquinaxoline;

45 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N,N-dimethyl-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzamidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

5 Ethyl 3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl}-2-phenylquinaxoline-6-carboxylate;

N-[3-(2-hydroxyethyl)-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

10 N-[3-(2-phenyl-2-hydroxyethyl)-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

15 3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenyl-6-fluoroquinaxoline;

3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenyl-6-cyanoquinaxoline;

20 N-[2-(diethylamino)ethyl]-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

N-(5-hydroxypentyl)-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

25 N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

30 N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-carboxamide;

3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenylquinaxoline-6-methylsulfonamide;

35 3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenyl-6-methoxyquinaxoline;

3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenyl-6-nitroquinaxoline;

40 3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenyl-6-trifluoromethylquinaxoline;

45 3-(4-{{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl}-2-phenyl-6-aminoquinaxoline;

7-chloro-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

5 7-methyl-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

10 6-chloro-7-fluoro-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline;

15 6,7-dichloro-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline;

20 7-chloro-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

25 7-methyl-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

30 6-chloro-7-fluoro-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

35 7-methyl-2-(4-{{4-(benzimidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

40 7-methyl-3-(4-{{4-(benzimidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

45 7-chloro-2-(4-{{4-(benzimidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

7-chloro-3-(4-{{4-(benzimidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

N-(2-hydroxyethyl)-7-methyl-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

5 N-(2-hydroxyethyl)-7-methyl-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

10 2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

15 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

20 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

25 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

30 N-isopropyl-N'-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)urea;

35 N-(3-fluorophenyl)-N'-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)urea;

40 N-phenyl-N'-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)urea;

45 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)-4-bromobenzenesulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)-4-bromobenzenesulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)benzylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)-3,4-dimethoxybenzenesulfonamide;

N-((1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)thien-2-ylsulfonamide;

5 N-((1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)2,2,2-trifluoroethylsulfonamide;

N-((1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)quinolin-7-ylsulfonamide;

10 4-phenyl-1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;

15 1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)1,2,3,4,5-trifluorophenylsulfonamide;

20 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;

25 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chlorophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

30 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;

1-{1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

35 1-{1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

Ethyl 2-(4-{{4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;

40 Ethyl 2-(4-{{4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;

45 2-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

2-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

5 2-{1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl}benzimidazole;

1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

10 N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

15 1-[1-(4-{6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

N-{2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl}acetamide;

20 1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl)piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

25 N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

N-{2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

30 1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl)benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl)benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

35 1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

40 1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl)benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

45

N-[4-(aminosulfonyl)benzyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;
 5 N-{2-[2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;
 10 1-(1-{{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
 15 1-(1-{{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
 20 1-(1-{{4-[7-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
 25 1-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
 30 2-(4-{{4-(1H-indol-1-yl)piperidin-1-yl)methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;
 35 3-(4-{{4-(1H-indol-1-yl)piperidin-1-yl)methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;
 40 2-(4-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl)methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;
 45 2-(4-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl)methyl}phenyl)-3-phenyl-1,8-naphthyridine;
 50 1-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
 55 1-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;
 60 9-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;
 65 9-{{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

5 1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

10 1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

15 2-(4-{{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl}-3-phenylquinoxaline-6-carboxylic acid;

20 3-(4-{{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl}-2-phenylquinoxaline-6-carboxylic acid;

25 N-[2-(diethylamino)ethyl]-3-(4-{{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl}-2-phenylquinoxaline-6-carboxamide;

30 2-(4-{{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl}-3-phenylquinoxaline-6-carboxylic acid;

35 3-(4-{{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl}-2-phenylquinoxaline-6-carboxylic acid;

40 7-bromo-2-(4-{{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl}-6-methyl-3-phenylpyrido[2,3-*b*]pyrazine;

45 7-bromo-3-(4-{{[4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl}-2-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-6-methyl-2-(4-{{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl}-3-phenylpyrido[2,3-*b*]pyrazine;

7-bromo-3-(4-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylpyrido[2,3-*b*]pyrazine;

5 1-{1-[4-(4-amino-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

10 1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-*d*]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

15 or a pharmaceutically acceptable salt or a stereoisomer thereof.

7. The compound according to Claim 6 which is the TFA salt of a compound selected from:

1-{{4-(3-phenylquinoxalin-2-yl)benzyl}piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

20 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

25 2-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

30 N-[3-(1H-imadazol-1-yl)propyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

35 1-{1-[4-(3-phenylpyrido[3,4-*b*]pyrazin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-{1-[4-(2-phenylpyrido[3,4-*b*]pyrazin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

40 1-{1-[4-(2-phenylquinolin-3-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-*{1-[4-(6,7-diamino-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}*-1,3-dihydro-2H-benzimidazol-2-one;

5 2-(4-*{[3-(1H-indol-3-yl)pyrrolidin-1-yl]methyl}*phenyl)-3-phenylquinoxaline;

10 1-(1-*{4-[3-(2-aminophenyl)quinoxalin-2-yl]benzyl}*piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

15 3,4-dichloro-N-*{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*benzamide;

20 4-cyano-N-*{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*benzamide;

25 2,6-difluoro-N-*{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*benzamide;

30 N-*{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*-3-(trifluoromethyl)benzamide;

35 N-*{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*-1,3-thiazole-5-carboxamide;

40 (3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]-3-[(1,3-thiazol-4-ylcarbonyl)amino]pyrrolidinium;

45 4-[(*{(3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*amino)carbonyl]-1,3-thiazolidin-3-ium;

50 N-*{(3R)-1-[4-(7-amino-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}*-1,3-thiazole-5-carboxamide;

55 3-phenyl-2-[4-*{(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl}*methyl]phenyl]quinoxaline-6-carboxylic acid;

60 2-phenyl-3-[4-*{(3R)-3-[(1,3-thiazol-5-ylcarbonyl)amino]pyrrolidin-1-yl}*methyl]phenyl]quinoxaline-6-carboxylic acid;

N-{(3R)-1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

5 N-{(3R)-1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-{(3R)-1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

10 N-{(3R)-1-[4-(5-hydroxy-3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl}-1,3-thiazole-5-carboxamide;

N-(3-methylphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

15 N-(4-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

N-(3-methoxyphenyl)-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

20 methyl 3-{{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}amino}carbonyl]amino}benzoate;

N-[4-(difluoromethoxy)phenyl]-N'-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]azetidin-3-yl}urea;

25 2-(4-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-5-ol;

30 N^2,N^2 -dimethyl- N^1 -[3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

35 9-{{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

3-(4-{{4-(6-amino-9H-purin-9-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxalin-6-amine;

40 9-{{1-[4-(6-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{{4-(6-amino-9H-purin-9-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-amine;

45 9-{{1-[4-(7-chloro-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

9-{{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine};

9-{1-[4-(2-phenylpyrido[2,3-b]pyrazin-3-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

2-(4-{{4-(6-amino-9H-purin-9-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-5-ol;

5 2-(4-{{4-(6-amino-9H-purin-9-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

10 3-(4-{{4-(6-amino-9H-purin-9-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

15 2-(4-{{4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxaline;

20 2-(4-{{4-(3H-imidazo[4,5-b]pyridin-3-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-amine;

25 1-{{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one};

30 1-(1-{{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one);

35 9-(1-{{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl}-9H-purin-6-amine);

40 N^2,N^2 -dimethyl- N^1 -[2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

45 N^2,N^2 -dimethyl- N^1 -[3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxalin-6-yl]glycinamide;

1-{1-[4-(2-amino-4-hydroxy-7-phenylpteridin-6-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

5 N-[2-(diethylamino)ethyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

N-[2-(diethylamino)ethyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

10 2-deoxy-2-({[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]carbonyl}amino)-D-arabino-hexopyranose;

15 2-deoxy-2-({[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]carbonyl}amino)-D-arabino-hexopyranose;

20 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinoxalin-6-yl 2-(acetylamino)-2-deoxy-D-glucopyranoside;

25 3-(4-{[4-hydroxy-4-phenylpiperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(quinazolin-2-on-3-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

3-(4-{[4-(pyrid-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

30 3-(4-{[3-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylquinaxoline;

35 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-chloroquinaxoline;

2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-(1-acetylaminoprop-2-yl)quinaxoline;

40 2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenyl-6-methylsulfonylquinaxoline;

45 N,N-dimethyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

5 N-[3-(1H-Imidazol-1-yl)propyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

Ethyl 2-(4-{{4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxylate;

10 N-[3-(2-hydroxyethyl)-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(2-phenyl-2-hydroxyethyl)-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

15 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

20 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

N-[2-(diethylamino)ethyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

25 N-(5-hydroxypentyl)-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

N-[3-(dimethylamino)-2,2-dimethylpropyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

30 N-[3-hydroxy-2,2-dimethylpropyl]-2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

35 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-methylsulfonamide;

2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

40 2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-nitroquinaxoline;

2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-trifluoromethylquinaxoline;

2-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-aminoquinaxoline;

5 3-(4-{{4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

10 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-methylquinaxoline;

15 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N,N-dimethyl-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

20 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N-[3-(1H-Imidazol-1-yl)propyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

25 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N-[3-(2-hydroxyethyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

30 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N-[3-(2-phenyl-2-hydroxyethyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

35 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

40 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

45 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N-[2-(diethylamino)ethyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

40 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N-(5-hydroxypentyl)-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

45 3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-N-[3-(dimethylamino)-2,2-dimethylpropyl]-3-(4-{{4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

N-[3-hydroxy-2,2-dimethylpropyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

5 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-methylsulfonamide;

10 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

15 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-nitroquinaxoline;

20 3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenyl-6-aminoquinaxoline;

25 7-chloro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline-6-sulfonamide;

30 7-methyl-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

35 6-chloro-7-fluoro-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-2-phenylquinaxoline;

40 6,7-dichloro-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

45 N-[2-(4-{[4-(benzimidazol-2-yl)piperdin-1-yl]methyl}phenyl)-3-phenylquinaxolin-6-yl]methylsulfonamide;

2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxylic acid;

5 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxylic acid;

10 7-methyl-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

15 7-methyl-3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenylquinaxoline-6-carboxamide;

20 7-chloro-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-sulfonamide;

25 N-(2-hydroxyethyl)-7-methyl-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

30 N-(2-hydroxyethyl)-7-methyl-2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenylquinaxoline-6-carboxamide;

35 2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-methoxyquinaxoline;

40 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-methoxyquinaxoline;

45 2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-fluoroquinaxoline;

50 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-fluoroquinaxoline;

55 2-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-3-phenyl-6-cyanoquinaxoline;

60 3-(4-{{4-(benzamidazol-2-yl)piperdin-1-yl}methyl}phenyl)-2-phenyl-6-cyanoquinaxoline;

65 N-isopropyl-N'-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)urea;

70 N-(3-fluorophenyl)-N'-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methyl)urea;

N-phenyl-N'-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)urea;

5 N-(4-bromobenzyl)-N'-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)urea;

N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)benzenesulfonamide;

10 N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)-4-bromobenzenesulfonamide;

N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)benzylsulfonamide;

15 N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)-3,4-dimethoxybenzenesulfonamide;

N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)thien-2-ylsulfonamide;

20 N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)2,2,2-trifluoroethylsulfonamide;

N-(*{*1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl*}* methyl)quinolin-7-ylsulfonamide;

25 4-phenyl-1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazol-2-one;

30 1-{1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-4-yl}-1,3-dihydro-2H-triazol-2-one;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)1,2,3,4,5-trifluorophenylsulfonamide;

35 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-acetamidophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-3-chloropropylsulfonamide;

40 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)-4-chloroophenylsulfonamide;

N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)butylsulfonamide;

45 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)methylsulfonamide;

5 N-(1-[4-(3-phenylquinoxalin-2-yl)benzyl]piperidin-3-yl)ethylsulfonamide;
1-[1-[4-(2-phenylbenzo[f]quinoxalin-3-yl)benzyl]piperidin-4-yl]-1,3-dihydro-2H-
benzimidazol-2-one;

10 1-[1-[4-(3-phenylbenzo[f]quinoxalin-2-yl)benzyl]piperidin-4-yl]-1,3-dihydro-2H-
benzimidazol-2-one;

15 Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-
yl]methyl}phenyl)-3-phenylquinaxoline-8-carboxylate;
Ethyl 2-(4-{[4-(2-Oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperdin-1-
yl]methyl}phenyl)-3-phenylquinaxoline-5-carboxylate;

20 2-[1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl]benzimidazole;
2-[1-[4-(3-phenylpyrido[4,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl]benzimidazole;

25 2-[1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl]benzimidazole;
2-[1-[4-(3-phenylpyrido[3,2-b]pyrazin-2-yl)benzyl]piperidin-4-yl]benzimidazole;
1-[1-(4-{6-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-
yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

30 N-[4-(aminosulfonyl)benzyl]-2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-
yl)methyl}phenyl)-3-phenylquinoxaline-6-carboxamide;

35 1-[1-[4-(6-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl)benzyl]piperidin-4-
yl]-1,3-dihydro-2H-benzimidazol-2-one;

40 N-[2-[3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-
yl]methyl}phenyl)-2-phenylquinoxalin-6-yl]ethyl]acetamide;
1-(1-{4-[7-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-
dihydro-2H-benzimidazol-2-one;

45 N-[2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-
phenylquinoxalin-6-yl]ethyl]acetamide;

N-[2-[2-(4-{[4-(benzimidazol-2-yl)piperidin-1-yl]methyl}phenyl)-3-
phenylquinoxalin-6-yl]ethyl]acetamide;

1-{1-[4-(6-benzoyl-3-phenylquinoxalin-2-yl]benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

5 1-{1-[4-(6-benzoyl-2-phenylquinoxalin-3-yl]benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

10 1-[1-(4-{7-[(4-aminophenyl)sulfonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

15 1-{1-[4-(7-benzoyl-3-phenylquinoxalin-2-yl]benzyl)piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

20 1-[1-(4-{7-[(4-methylpiperazin-1-yl)carbonyl]-3-phenylquinoxalin-2-yl}benzyl)piperidin-4-yl]-1,3-dihydro-2H-benzimidazol-2-one;

25 N-[4-(aminosulfonyl)benzyl]-3-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)methyl]phenyl}-2-phenylquinoxaline-6-carboxamide;

30 1-{2-[2-(4-{[4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-3-phenylquinoxalin-6-yl]ethyl}acetamide;

35 1-(1-{4-[6-(methylsulfonyl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

40 1-(1-{4-[6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

45 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

2-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

3-(4-{[4-(1H-indol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-2-phenylquinoxaline;

2-(4-{[4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl]methyl}phenyl)-6-(1-methyl-1H-tetrazol-5-yl)-3-phenylquinoxaline;

2-(4-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxaline;

5 1-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

10 1-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one;

15 9-(1-{{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinolin-2-yl]benzyl}piperidin-4-yl}-9H-purin-6-amine;

20 9-{{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

25 1-{{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;

30 2-(4-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

35 3-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

40 N-[2-(diethylamino)ethyl]-3-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

45 N-methyl-3-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

50 N-[3-(1H-imidazol-1-yl)propyl]-3-{{4-(2-methyl-1H-benzimidazol-1-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

55 2-{{4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl}methyl}phenyl)-3-phenylquinoxaline-6-carboxylic acid;

60 3-{{4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxylic acid;

65 N-[2-(diethylamino)ethyl]-3-{{4-(6-fluoro-1H-benzimidazol-2-yl)piperidin-1-yl}methyl}phenyl)-2-phenylquinoxaline-6-carboxamide;

1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

5 1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one.

10

8. The compound according to Claim 6 which is selected from:

15 N-[2-(diethylamino)ethyl]-2-(4-([4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl)phenyl)-3-phenylquinoxaline-6-carboxamide;

15 N-[2-(diethylamino)ethyl]-3-(4-([4-(2-oxo-2,3-dihydro-1H-benzimidazol-1-yl)piperidin-1-yl]methyl)phenyl)-2-phenylquinoxaline-6-carboxamide;

20 4-cyano-N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)benzamide;

20 N-((3R)-1-[4-(3-phenylquinoxalin-2-yl)benzyl]pyrrolidin-3-yl)-1,3-thiazole-5-carboxamide;

25 2-(4-([4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl)phenyl)-3-phenylquinoxalin-6-amine;

25 9-{1-[4-(3-phenylpyrido[3,4-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

30 9-{1-[4-(3-phenylpyrido[2,3-b]pyrazin-2-yl)benzyl]piperidin-4-yl}-9H-purin-6-amine;

30 2-(4-([4-(6-amino-9H-purin-9-yl)piperidin-1-yl]methyl)phenyl)-3-phenylquinoxaline-6-carboxylic acid;

35 1-{1-[4-(3-phenylquinolin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

1-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

40 1-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;

9-(1-{4-[3-phenyl-7-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

9-(1-{4-[3-phenyl-6-(1H-tetrazol-5-yl)quinoxalin-2-yl]benzyl}piperidin-4-yl)-9H-purin-6-amine;

5 1-{1-[4-(3-phenyl-1,8-naphthyridin-2-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-imidazo[4,5-b]pyridin-2-one 4-oxide;
10 1-(1-{4-[6-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
15 1-(1-{4-[7-(2-methyl-2H-tetrazol-5-yl)-3-phenylquinoxalin-2-yl]benzyl}piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one;
20 1-{1-[4-(4-amino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;
1-{1-[4-(4-amino-2-hydroxy-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one; and

20 1-{1-[4-(2,4-diamino-6-phenylpyrido[2,3-d]pyrimidin-7-yl)benzyl]piperidin-4-yl}-1,3-dihydro-2H-benzimidazol-2-one;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

25 9. A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 1.

30 10. A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 6.

35 11. A pharmaceutical composition comprising a pharmaceutical carrier, and dispersed therein, a therapeutically effective amount of a compound of Claim 8.

12. A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 1.

5 13. A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 6.

10 14. A method of inhibiting one or more of the isoforms of Akt in a mammal which comprises administering to the mammal a therapeutically effective amount of a compound of Claim 8.

15 15. A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 1.

16. A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 6.

20 17. A method for treating cancer which comprises administering to a mammal in need thereof a therapeutically effective amount of a compound of Claim 8.

25 18. A pharmaceutical composition made by combining the compound of Claim 1 and a pharmaceutically acceptable carrier.

30 19. A process for making a pharmaceutical composition comprising combining a compound of Claim 1 and a pharmaceutically acceptable carrier.

20. The composition of Claim 9 further comprising a second compound selected from:

35 1) an estrogen receptor modulator,
2) an androgen receptor modulator,

- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 5 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10 10) an angiogenesis inhibitor,
- 11) a PPAR- γ agonists,
- 12) a PPAR- δ agonists,
- 13) an inhibitor of cell proliferation and survival signaling, and
- 14) an agent that interferes with a cell cycle checkpoint.

21. The composition of Claim 20, wherein the second compound is
15 an angiogenesis inhibitor selected from the group consisting of a tyrosine kinase
inhibitor, an inhibitor of epidermal-derived growth factor, an inhibitor of fibroblast-
derived growth factor, an inhibitor of platelet derived growth factor, an MMP
inhibitor, an integrin blocker, interferon- α , interleukin-12, pentosan polysulfate, a
cyclooxygenase inhibitor, carboxyamidotriazole, combretastatin A-4, squalamine, 6-
20 O-(chloroacetyl-carbonyl)-fumagillo, thalidomide, angiostatin and troponin-1.

22. The composition of Claim 20, wherein the second compound is
an estrogen receptor modulator selected from tamoxifen and raloxifene.

25 23. A method of treating cancer which comprises administering a
therapeutically effective amount of a compound of Claim 1 in combination with
radiation therapy.

30 24. A method of treating or preventing cancer which comprises
administering a therapeutically effective amount of a compound of Claim 1 in
combination with a compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 35 4) a cytotoxic agent,

- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor,
- 11) a PPAR- γ agonists,
- 12) a PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,
- 15) an agent useful in the treatment of anemia,
- 16) an agent useful in the treatment of neutropenia,
- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

25. A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy and a compound selected from:

- 20) 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor,
- 11) a PPAR- γ agonists,
- 12) a PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,
- 15) an agent useful in the treatment of anemia,
- 35) 16) an agent useful in the treatment of neutropenia,

- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

5

26. A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and paclitaxel or trastuzumab.